## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- 1. (Currently Amended) A transdermal drug delivery system comprising a blend of:
  - (a) one or more polymers; and
  - (b) a therapeutically effective amount of one or more drugs, at least one of which <u>is a low</u>

    <u>molecular weight drug with a molecular weight of less than about 300 daltons</u> is of

    <u>low molecular weight</u> and is liquid at or about room temperatures,

wherein said system is substantially free of water and liquids having a boiling point (i) below processing temperatures and (ii) equal to or greater than the normal boiling points of the at least one low molecular weight drug; and,

wherein <u>at least</u> one of said one or more polymers is a high shear resistant acrylic-based <u>pressure-sensitive adhesive</u> polymer.

- 2. (Currently Amended) A pressure-sensitive adhesive transdermal drug delivery system suitable for transdermal drug delivery comprising a blend of:
  - (a) one or more solvent-based high shear resistant acrylic-based polymers having a shear resistance which is greater than or equal to 50 hours at 8 pounds per square inch and 72° Fahrenheit; and
  - (b) a therapeutically effective amount of one or more drugs, at least one of which <u>is a low</u>

    <u>molecular weight drug with a molecular weight of less than about 300 daltons</u> is of

    <u>low molecular weight</u> and <u>is</u> liquid at or about room temperatures, wherein the

    transdermal drug delivery system forms a polymer matrix which has sufficient tack and
    shear to remain in place under conditions of use.
- 3. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 2, wherein the one or more high shear resistant acrylic-based polymers have a shear

resistance which is greater than or equal to 100 hours at 4 pounds per square inch and 72° Fahrenheit.

- 4. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 3, wherein the one or more high shear resistant acrylic-based polymers have a shear resistance which is greater than or equal to 100 hours at 8 pounds per square inch and 72° Fahrenheit.
- 5. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 2, wherein the system is substantially free of water and liquids having a normal boiling point below processing temperatures and also about equal to or greater than the normal boiling points of the one or more low molecular weight drugs.
- 6. (Currently Amended) A pressure-sensitive transdermal drug delivery system as claimed in claim 2, wherein the one or more drugs are present in a range of 1 to 40 weight **percent per cent**, based on the dry weight of the total transdermal system.
- 7. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 2, wherein the one or more high shear resistant acrylic-based polymers have a weight average molecular weight in the range of about 600,000 to about 1,000,000 daltons.
- 8. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 7, wherein the one or more high shear resistant acrylic-based polymers have a weight average molecular weight in the range of about 700,000 to about 900,000 daltons.

- 9. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 8, wherein the one or more high shear resistant acrylic-based polymers have a weight average molecular weight in the range of about 750,000 to about 850,000 daltons.
- 10. (Original) A pressure-sensitive transdermal drug delivery system for transdermal drug delivery as claimed in claim 2, wherein the one or more drugs comprise nicotine.
- 11. (Original) A pressure sensitive transdermal drug delivery system as claimed in claim 10, wherein said nicotine is present in its free-base or free-acid form.
- 12. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 2, wherein the one or more acrylic-based polymers comprise a pressure-sensitive adhesive.
- 13. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 12, wherein the one or more high shear resistant, acrylic-based polymers are present in the system in a range of about 10-90 weight per cent, based on the dry weight of the total transdermal system.
- 14. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 2 further comprising a backing material superimposed on one surface of the blend, the backing material being substantially impermeable to the drug contained therein.
- 15. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 14 further comprising a release liner superimposed on a surface of the blend opposite the backing material.

- 16. (Original) A pressure-sensitive transdermal drug delivery system as claimed in claim 2, wherein the system further comprises an additive selected from one or more of a filler, an enhancer and an excipient.
- 17. (Currently Amended) A method of producing a pressure-sensitive transdermal drug delivery system suitable for a transdermal drug delivery system, comprising the steps of:
  - (1) producing a blend of:
    - (a) one or more solvent-based high shear resistant acrylic-based polymers having a shear resistance of greater than or equal to 50 hours at 8 pounds per square inch and 72° Fahrenheit and mixtures thereof; and
    - (b) a therapeutically effective amount of one or more drugs, at least one of which is a low molecular weight drug with a molecular weight of less than about 300 daltons is of low molecular weight and is liquid at or about room temperatures, wherein the blend is in a solvent system;
  - (2) forming the blend into a polymer matrix; and
  - (3) drying the polymer matrix to remove the solvent system to form the transdermal drug delivery system, wherein the system forms a polymer matrix which has sufficient tack and shear for application to a human being.
- 18. (Original) A method as claimed in claim 17, wherein the high shear resistant polymer comprises a high molecular weight pressure-sensitive acrylic-based polymer.
- 19. (Currently Amended) A pressure-sensitive adhesive transdermal drug delivery system suitable for transdermal drug delivery comprising a blend of:
  - (a) a pressure-sensitive adhesive polymer which consists of one or more solvent-based high shear resistant acrylic-based polymers having a shear resistance which is greater than or equal to 50 hours at 4 pounds per square inch and 72° Fahrenheit; and

- (b) a therapeutically effective amount of one or more drugs, at least one of which <u>is a low</u>

  <u>molecular weight drug with a molecular weight of less than about 300 daltons</u> is of

  <u>low molecular weight</u> and <u>is</u> liquid at or about room temperatures, wherein the

  transdermal drug delivery system forms a polymer matrix which has sufficient tack and
  shear to remain in place under conditions of use.
- 20. (Original) A pressure-sensitive adhesive transdermal drug delivery system as claimed in claim 19, wherein the one or more solvent-based high shear resistant acrylic-based polymers have a shear resistance which is greater than or equal to 50 hours at 8 pounds per square inch and 72° Fahrenheit.
- 21. (Currently Amended) A method of producing a pressure-sensitive transdermal drug delivery system suitable for a transdermal drug delivery system, comprising the steps of:
  - (1) producing a blend of:
    - (a) a pressure-sensitive adhesive polymer which consists of one or more solvent-based high shear resistant acrylic-based polymers having a shear resistance of greater than or equal to 50 hours at 4 pounds per square inch and 72° Fahrenheit and mixtures thereof; and
    - (b) a therapeutically effective amount of one or more drugs, at least one of which <u>is a low</u>

      molecular weight drug with a molecular weight of less than about 300 daltons is

      of low molecular weight and <u>is</u> liquid at or about room temperatures, wherein the blend is in a solvent system;
  - (2) forming the blend into a polymer matrix; and
  - (3) drying the polymer matrix to remove the solvent system to form the transdermal drug delivery system, wherein the system forms a polymer matrix which has sufficient tack and shear for application to a human being.

- 22. (New) A method of producing a pressure-sensitive transdermal drug delivery system suitable for a transdermal drug delivery system, comprising the steps of:
  - (1) producing a blend of:
    - (a) one or more polymers, wherein at least one of said one or more polymers is a solvent-based high shear resistant acrylic-based pressure-sensitive adhesive polymer; and
    - (b) a therapeutically effective amount of one or more drugs, at least one of which is a low molecular weight drug with a molecular weight of less than about 300 daltons and is liquid at or about room temperatures, wherein the blend is in a solvent system;
  - (2) forming the blend into a polymer matrix; and
  - (3) drying the polymer matrix to remove the solvent system to form the transdermal drug delivery system, wherein the system forms a polymer matrix which has sufficient tack and shear for application to a human being.